

Test Certificate

Sample Description: Plant Derived Mineral Powder
Sample Lot Number: UMP0281121

Analysis	Result	Per Unit	Method
Aluminum	58,700	ppm	EPA 6010B
Antimony	14.1	ppm	ICP-MS/ICP-OES
Arsenic	<0.05	ppm	ICP-MS/ICP-OES
Barium	<0.5	ppm	ICP-MS/ICP-OES
Beryllium	0.972	ppm	ICP-MS/ICP-OES
Bismuth	<0.5	ppm	ICP-MS/ICP-OES
Boron	28.7	ppm	ICP-MS/ICP-OES
Bromine	6.97	ppm	IC
Cadmium	3.16	ppm	ICP-MS/ICP-OES
Calcium	4,163	ppm	ICP-MS/ICP-OES
Carbon	5,280	ppm	ICP-MS/ICP-OES
Cerium	<0.05	ppm	ICP-MS/ICP-OES
Cesium	<0.01	ppm	ICP-MS/ICP-OES
Chloride	635	ppm	IC
Chromium	8.51	ppm	ICP-MS/ICP-OES
Cobalt	267	ppm	ICP-MS/ICP-OES
Copper	26.9	ppm	ICP-MS/ICP-OES
Dysprosium	0.651	ppm	ICP-MS/ICP-OES

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY. Details of the Laboratory are excluded because this information is sensitive and commercial in confidence.

Each batch test may vary by one or two minerals.

Erbium	0.301	ppm	ICP-MS/ICP-OES
Europium	0.078	ppm	ICP-MS/ICP-OES
Fluoride	0.415	ppm	IC
Gadolinium	0.081	ppm	ICP-MS/ICP-OES
Gallium	0.072	ppm	ICP-MS/ICP-OES
Germanium	0.028	ppm	ICP-MS/ICP-OES
Gold	<0.02	ppm	ICP-MS/ICP-OES
Hafnium	0.019	ppm	ICP-MS/ICP-OES
Holmium	0.054	ppm	ICP-MS/ICP-OES
Indium	<0.02	ppm	ICP-MS/ICP-OES
Iodine	3.50	ppm	ICP-MS/ICP-OES
Iridium	<0.01	ppm	ICP-MS/ICP-OES
Iron	8,102	ppm	ICP-MS/ICP-OES
Lanthanum	5.36	ppm	ICP-MS/ICP-OES
Lead	<0.05	ppm	ICP-MS/ICP-OES
Lithium	<0.5	ppm	ICP-MS/ICP-OES
Lutetium	<0.05	ppm	ICP-MS/ICP-OES
Magnesium	58,200	ppm	ICP-MS/ICP-OES
Manganese	2,709	ppm	ICP-MS/ICP-OES
Mercury	<0.05	ppm	ICP-MS/ICP-OES
Molybdenum	<0.5	ppm	ICP-MS/ICP-OES
Neodymium	0.16	ppm	ICP-MS/ICP-OES
Nickel	356	ppm	ICP-MS/ICP-OES
Niobium	9.5	ppm	ICP-MS/ICP-OES
Osmium	<0.01	ppm	ICP-MS/ICP-OES
Palladium	<0.05	ppm	ICP-MS/ICP-OES
Phosphorous	22.8	ppm	ICP-MS/ICP-OES
Platinum	<0.01	ppm	ICP-MS/ICP-OES
Potassium	40.0	ppm	ICP-MS/ICP-OES
Praseodymium	0.418	ppm	ICP-MS/ICP-OES
Rhenium	<0.02	ppm	ICP-MS/ICP-OES
Rhodium	<0.05	ppm	ICP-MS/ICP-OES
Rubidium	0.726	ppm	ICP-MS/ICP-OES

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY. Details of the Laboratory are excluded because this information is sensitive and commercial in confidence.

Each batch test may vary by one or two minerals.



Making Good Health Simple

Simply Naturals Ltd

PO Box 3607, Ascot, Berkshire. SL5 9TZ

Phone: +44 (0) 20 7993 5302

Email: admin@SimplyNaturals.com

Ruthenium	0.042	ppm	ICP-MS/ICP-OES
Samarium	0.205	ppm	ICP-MS/ICP-OES
Scandium	0.118	ppm	ICP-MS/ICP-OES
Selenium	0.137	ppm	ICP-MS/ICP-OES
Silicon	0.447	ppm	ICP-MS/ICP-OES
Silver	<0.5	ppm	ICP-MS/ICP-OES
Sodium	2,348	ppm	ICP-MS/ICP-OES
Strontium	154	ppm	ICP-MS/ICP-OES
Sulfur	208,500	ppm	ICP-MS/ICP-OES
Tantalum	0.058	ppm	ICP-MS/ICP-OES
Tellurium	<0.5	ppm	ICP-MS/ICP-OES
Terbium	0.047	ppm	ICP-MS/ICP-OES
Thallium	<0.05	ppm	ICP-MS/ICP-OES
Thorium	<0.05	ppm	ICP-MS/ICP-OES
Thulium	0.029	ppm	ICP-MS/ICP-OES
Tin	<0.5	ppm	ICP-MS/ICP-OES
Titanium	0.068	ppm	ICP-MS/ICP-OES
Tungsten	29.3	ppm	ICP-MS/ICP-OES
Vanadium	0.096	ppm	ICP-MS/ICP-OES
Ytterbium	0.526	ppm	ICP-MS/ICP-OES
Yttrium	90.9	ppm	ICP-MS/ICP-OES
Zinc	1,371	ppm	ICP-MS/ICP-OES
Zirconium	0.085	ppm	ICP-MS/ICP-OES

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY. Details of the Laboratory are excluded because this information is sensitive and commercial in confidence.

Each batch test may vary by one or two minerals.